

$$F \cong G, 1$$

16 {

www				
IMoon.com CSR Radar				
	Host	IP	Current URL	Arrival Time
	daschund.sneakerlabs.com	205.201.53.23	http://www.sneakerlabs.com/	8:41:27 AM
	jackal.sneakerlabs.com	205.201.53.25	http://www.sneakerlabs.com/	8:54:59 AM
	daschund.sneakerlabs.com	205.201.53.23	http://www.sneakerlabs.com/	8:20:05 AM

Figure 2

00E190" 8/6E6560

31 43 28

www.iMeet.com	CSR	Radat	
	CSR Name	Channels	Arrival Time
☰	CSR-Manu	www.iMeet.com	8:41:34 AM
☰	CSR-Mickish	www.iMeet.com	9:10:41 AM

Figure 3

00E190" 8/6E6560

00ET90"846E6560




Figure 4A

005998-051300

http://setter.sneakerlabs.com/serve/rep/console/- Microsoft Internet Explorer

Do Edit View Favorites Tools Help

Available Settings Sound Preview Help Docs Dev

**SNEAKERLABS**

iServe Connector arrived in Zone Default Zone

Host	Current Location	Time
setter.sneakerlabs.com	http://setter.sneakerlabs...	09:12
setter.sneakerlabs.com	http://setter.sneakerlabs...	09:51
setter.sneakerlabs.com	http://setter.sneakerlabs...	09:47

Resources

- Global Resources
- Company Pages
  - Home Page
  - iServe
  - iMeet
  - iServe demo script
- Zone Resources (Default Zone)

Radar

Default Zone

LIVE Rep • Connector •

Test Zone

49 ↗

**WELCOME**

This is where "pushed pages" will appear.  
From here you can collaboratively browse with visitors.

R-6. 4B

09593978-061300






Figure 5A

00E1:90" 8/15/96



09593978-061300

A <b>Meetcom</b> <b>C9R</b> <b>Radar</b>	
<b>ID</b> localhost/127.0.0.1	<b>Manu:</b> Hello, and welcome to SneakerLabs! Is there anything I can help you with today?
<b>IP Address / Host</b> 205.201.53.23 / daschund.sneak	
<b>Arrival Time</b> Fri Jun 11 09:54:15 EDT 1999	
<input type="text"/>	
<input type="button" value="Submit"/>	
<b>Current Page:</b> <input type="text" value="http://www.sneakerlabs.com/"/>	<input type="button" value="Transfer"/> <input type="button" value="Exit Chat"/>

Figure 6A



05593978-061300

http://setter.sneakerlabs.com/serve/rep/console/ - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Available Status Sound Pushed Web Docs Exit

**SNEAKERLABS**

**iServe** Connector arrived in Zone Default Zone

Host	Current Location	Time
setter.sneakerlabs.com	http://setter.sneakerlabs...	06:59
setter.sneakerlabs.com	http://setter.sneakerlabs...	07:38
setter.sneakerlabs.com	http://setter.sneakerlabs...	07:34

Resources Information iServes

- Global Resources
- Company Pages
  - Home Page
  - iServe
  - iMeet
- iServe demo script
- Zone Resources (Default Zone)

Transfer 01:57

Luis: Hello! How may I help you?  
Connector: I'm interested in purchasing some sprockets.  
Luis: You've come to the right place!  
Luis: Let me push you a web page with information.

<http://www.oursite.com/sprockets/> Send

**WELCOME**  
This is where "pushed pages" will appear.  
From here you can collaboratively browse with visitors.

Fig. 6B